



# NTN Bearing Brazil Bearings Ltda.

1.938 Inch | 49.225 Millimeter x 2.362 Inch | 60 Millimeter x 2.756 Inch | 70 Millimeter TIMKEN LSE115BRHSAFQAATL Pillow Block Bearings



LSE115BRHSAFQAATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE115BRHSAFQAATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	7.54
EAN	0013992049667
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	16 Millimeter
Relubricatable	Yes
Insert Part Number	LSE115BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring   Axial Float
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## NTN Bearing Brazil Bearings Ltda.

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	16.61
D	2.362 Inch   60 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
d	1.938 Inch   49.225 Millimeter
B	2.756 Inch   70 Millimeter
Nominal Bolt Center to Center	8.4 Inch   214 Millimeter
Actual Bolt Center to Center	8.4 Inch   214Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Shaft Size	1-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - SAFQ
Bolt Size	2 x 5/8
Bearing UPC	013992025562
Dimension H	2-3/4 in
Dimension H2	6.15 in
Dimension J1	8-1/4 in
Dimension J2	7-3/8 in
Dimension L	9-5/8 in
Dimension M	2-3/4 in
Housing Width	3.9 in
Cr - Dynamic Load Rating	18694 lbf
Cor - Static Load Rating	19643 lbf



## NTN Bearing Brazil Bearings Ltda.

Maximum Speed	4630 rpm
Note	This product line was formerly known as "Revolvo "